

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF  
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUN 16 2003

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed JUN 16 2003

\*\*\*\*\*

The applicant **MARTHA L. MAYES**, hereby makes application for permission to change the **POINT OF DIVERSION** of water heretofore appropriated under **PERMIT 66910**

\*\*\*\*\*

1. The source of water is **UNDERGROUND SOURCE.**
2. The amount of water to be changed **2 ACRE FEET**
3. The water to be used for **QUASI-MUNICIPAL PURPOSES.**
4. The water heretofore permitted for **QUASI-MUNICIPAL PURPOSES.**
5. The water is to be diverted at the following point **WITHIN THE NORTHWEST QUARTER (NW¼) OF THE NORTHWEST QUARTER (NW¼) OF SECTION 35, T19S, R60E, MDM, OR AT A POINT FROM WHICH THE NORTHWEST CORNER OF SAID SECTION 35, BEARS NORTH 20°20' WEST A DISTANCE OF 966.0 FEET.**
6. The existing permitted point of diversion is located within **THE NORTHWEST QUARTER (NW¼) OF THE NORTHWEST QUARTER (NW¼) OF SECTION 35, T19S, R60E, MDM, OR AT A POINT FROM WHICH THE NORTHWEST CORNER OF SAID SECTION 35, BEARS NORTH 22°07'11" WEST A DISTANCE OF 815.26 FEET.**
7. Proposed place of use **TO REMAIN THE SAME AS PERMIT 66910.**
8. Existing place of use **NORTH HALF (N½) OF THE NORTHWEST QUARTER (NW¼) OF THE SOUTHWEST QUARTER (SW¼) OF THE NORTHWEST QUARTER (NW¼) OF THE NORTHWEST QUARTER (NW¼) SECTION 35, T19S, R60E, MDM. APN 125-35-103-001**
9. Use will be from **JANUARY 1st to DECEMBER 31st** of each year.
10. Use was permitted from **JANUARY 1st to DECEMBER 31st** of each year.
11. Description of proposed works **WELL IS COMPLETE AND HAS TOTALIZING METER**
12. Estimated cost of works **NONE**
13. Estimated time required to construct works **NONE – 5 INCH DIAMETER STEEL CASED WELL, 400 FEET DEEP, 5 HP. SUBMERSIBLE PUMP, PRESSURE TANKS, 7.5 HP BOOSTER PUMP, STORAGE TANK AND APPRUTENANCES.**
14. Estimated time required to complete the application of water to beneficial use **3 YEARS.**
15. Remarks: **WATER IS USED FOR EXISTING RESIDENCE AND LANDSCAPING.**

By **MARTHA L. MAYES**  
s/**Martha L. Mayes**  
Agent: **FULSTONE ENTERPRISES, INC.**  
**940 S. Martin L. King. Blvd.**  
**LAS VEGAS, NV 89106**

Compared cmf/cac dl/ gkl

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 66910 is issued subject to the terms and conditions imposed in said Permit 66910 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permit 67924 and Permit 70113 shall not exceed 9.0 acre-feet annually.

Permit 70113 is granted to provide water service to one parcel described as Clark County Assessor's Parcel (APN) 125-35-103-001.

(CONTINUED ON PAGE 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0028 cubic feet per second, and not to exceed 2.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use on or before:

February 1, 2007

Proof of the application of water to beneficial use shall be filed on or before:

March 1, 2007

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 7th day of April, A.D. 2006

  
State Engineer

Completion of work filed March 12, 2003 under 67924

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_ N/A

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_